

FALL 1957





75th ANNIVERSARY

In the year 1882, Mr. William Flemer and his friend, Mr. Theodore Foulk, started a small nursery at Roselle, New Jersey. The Foulk and Flemer Nurseries continued until 1895 when Mr. Foulk sold his interests to a Mr. Felmly. Subsequently, in 1898, the nursery was moved to Springfield, New Jersey, where it prospered and grew to over 300 acres of fruit stock and a comparatively wide collection of ornamentals as well. About the year 1900, Mr. Flemer bought Mr. Felmly's interest in the business and thus established the trade name of F. & F. Nurseries. By the year 1914, additional property was bought at Princeton, New Jersey, and in 1920, Mr. Flemer sold the company to his two sons. Carl Flemer managed the original F. & F. Nurseries at Springfield while William Flemer, Jr. managed the Princeton branch. This partnership continued with both nurseries expanding their propagating departments and enlarging their existing ornamental collection until their catalog became an annual reference book.

William Flemer, Sr., before his death in 1925, lived to have the great satisfaction of seeing his early efforts brought to fruition. It was eventually decided to operate the two nurseries as separate concerns, that is—the F. & F. Nurseries at Springfield, N. J. and the Princeton Nurseries at Prince-

ton, N. J.

Carl Flemer introduced the propagation of many ornamentals not heretofore grown in this country. He continued to expand and develop the F. & F. Nurseries. In the year 1932 we had been in business for half a century and in commemoration, Carl Flemer published a book called "After 50 Years," a handbook full of horticultural information presented in a clear and understandable form. This book was widely acclaimed and is still used by many as a reference book. During the 30's and early 40's our Landscape Department was developed and expanded as we continued to be a source of well grown, rare and exotic plants.

In this year of 1957, on our 75th anniversary, we have completely moved our entire nursery to Holmdel, New Jersey. The new site is just west of the Garden State Parkway, near Telegraph Hill and adjacent to the Bell Telephone Laboratories. We cordially invite you to visit us at our new home.

CONDITIONS OF SALE

- CONTRACTS Due to conditions beyond our control all orders and contracts accepted, are subject to government regulations and availability of labor and supplies.
- ORDERS ARE ACCEPTED SUBJECT to prior sale, and to condition of stock at delivery date.
- PRICES in this catalogue cancel all previous lists and quotations, are subject to change without notice and they are F.O.B. our nurseries, packing extra. The quantity rates apply only to orders calling for the same size and variety.
- TERMS—CASH. Interest at six per cent (6%) per year will be charged on all accounts from due date. Orders for C.O.D. shipment must be accompanied by one-third of the amount.
- SPECIAL SELECTION Plant material specially selected at the nursery will be sold at prices commensurate with the value of the specimens chosen, irrespective of the listed prices.

TREES, SHRUBS, VINES

1 to 4 5 to 24 25 & up Each Each Each

ABELIA grandiflora 5'-6'

Glossy Abelia

Half Evergreen. Dainty bell-shaped shell pink flowers throughout summer. Field grown Abelias do not transplant readily. Fine pot grown plants.

5 in. pots ______ 3.00 2.50 2.20

ACANTHOPANAX pentophyllum 7'-8' (sieboldianus)

Aralia

Graceful arching habit. Splendid for banks. Good foliage.

2 to 3 ft...... 1.50 1.40 1.30

ACER palmatum

—atropurpureum 8'-9' Purple Japan Maple

Has rich purple-red leaves all summer, best planted in full sun.

| 11/2 | to | 2 | ft. | B.&B. | 12.00 |
|------|----|----------------|-----|-------|-------|
| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 16.00 |
| 21/2 | to | 3 | ft. | B.&B. | 20.00 |

platanoides 60'-80'

Norway Maple

Probably the easiest shade tree to transplant successfully spring or fall. Holds its foliage until late.

-schwedleri 40'-60'

Schwedler Maple

Easily transplanted fall or spring. Bright red foliage in spring changing to purple green in summer. Holds foliage late, grows more slowly than its parent.

| 8 to | 9 1 | ft., | 11/4 | to | 11/2 | in | 15.00 | 14.00 |
|-------|------|------|------|----|------|----|-------|-------|
| 9 to | 10 1 | ft., | 11/2 | to | 13/4 | in | 19.50 | 19.00 |
| 10 to | 12 1 | ft | 13/4 | to | 2 | in | 24.00 | |

-nigra 40'-60'

Crimson King

Surely an outstanding tree of rather slow growing habit. Very attractive deep crimson purple foliage continuously from late spring until autumn, best in full sun. Easily transplanted.

| 8 | to | 9 | ft., | 11/4 | to | 11/2 | in | 19.00 | 18.00 |
|---|----|----|------|------|----|------|----|-------|-------|
| 9 | to | 10 | ft., | 11/2 | to | 13/4 | in | 22.00 | |
| 0 | 40 | 10 | C.L | 1 3/ | 40 | 0 | * | 95 00 | |

9 to 10 ft., 1% to 2 in..... 25.00

ACER rubrum 80'-100'

Red or Swamp Maple

| 10 4- | 11 4 | 1 2/ | 4- 0 | * | 10 00 | | |
|-------|---------|------|--------|------|-------|-------|-------|
| to to | II It., | 1 74 | to Z | in | 19.00 | | |
| 11 to | 12 ft., | 2 | to 21 | 4 in | 24.00 | | |
| 12 to | 13 ft., | 21/4 | to 21/ | ½ in | 30.00 | 28.00 | |
| 13 to | 14 ft., | 21/2 | to 3 | in | 36.00 | 35.00 | 34.00 |
| 14 to | 16 ft., | 3 | to 33 | ½ in | 44.00 | 42.00 | |

saccharum 80'-100'

3

to 4

Sugar or Rock Maple

Symmetrical crown. Most popular in northern New Jersey and further north. Does best planted in spring in well drained soil, partial to lime. Rich autumn colorful foliage.

| 8 | to | 9 | ft., | 11/4 | to | 11/2 | in | 14.00 | 13.00 |
|---|----|-----|------|------|----|------|----|-------|-------|
| 9 | to | 10: | ft., | 11/2 | to | 13/4 | in | 16.00 | 15.00 |

| ARON | IIA a | rbu | Red Chokeberry | | | |
|------|-------|------|---------------------|------|------|------|
| Red | l ber | ries | Good fall coloring. | | | |
| 2 | to | 3 | ft | 1.50 | 1.40 | |
| 3 | to | 4 | ft | 1.60 | 1.50 | 1.40 |
| 1 | to | 5 | ft | 1.70 | 1 60 | |

| melanocarpa 8'-10' | Blac | k Choke | berry |
|-----------------------------|---------|---------|-------|
| White flowers in May. Black | berries | persist | until |
| late. | | - | |
| 1½ to 2 ft | 1.00 | .90 | |
| 9 to 91/ ft | 1 90 | 110 | 1.00 |

1.50

1.20

1.10

| AZALEA arbo | prescens 10'-12' | | Sweet | Azalea |
|-------------------|------------------|------------|---------|--------|
| Fragrant, plants. | white flowers is | n June. | Nursery | grown |
| 1½ to 2 | ft. B.&B | 6 . | 50 | |

2 to 2½ ft. B.&B...... 8.50

ft.....

AZALEA kaempferi hybrids 3'-4' (malvatica strain)

Torch Azalea

Malvatica hybrids are not only hardy but habit of growth is bushy. Flower colors exceptionally pleasing.

| m | alvatic | a | | Orange Red |
|----|---------|----------|------|------------|
| 12 | to 15 | in. B.&B | 6.00 | 5.50 |
| 15 | to 18 | in. B.&B | 7.50 | |

| —m | alvatic | rich and | Dec | ep Flame Red | |
|----|---------|----------|------|--------------|--|
| 12 | to 15 | in. B.&B | 6.00 | 5.50 | |
| 15 | to 18 | in. B.&B | 7.50 | | |

obtusa hinodegiri 3'-4' Hinodegiri Azalea

Evergreen. Larger leaves and flowers than Amoena; flowers very bright carmine-pink. Effective with masses or with Rhododendrons.

| 12 | to 15 | in. B.&B | 5.50 | 5.00 |
|----|-------|-----------|-------|------|
| 15 | to 18 | in. B.&B. | 7.00 | 6.50 |
| 18 | to 24 | in, B.&B. | 10.00 | |

Yuykiana Hybrids 5'-6' Hardy Evergreen Azalea These hardy evergreen azaleas have proven to be very useful landscape material. They have a wide color range, good blooming and foliage habits and above all seem to thrive in our locality. Flowers bloom in good profusion in May.

—Gerardina Deep pink, red center Good foliage and flower habit—excellent landscape qualities.

| 12 | to 15 | in. B.&B | 6.00 | 5.50 |
|----|-------|-----------|-------|------|
| 15 | to 18 | in. B.&B | 8.00 | |
| 18 | to 24 | in. B.&B. | 10.00 | |

| _ | Wilhelm | ina | | | | | Pure | White |
|----|----------|------|-------|---|-------|------|--------|---------|
| A | truly ha | ardy | large | ivory | white | flov | vering | azalea. |
| 12 | to 15 | in. | B.&B | ************ | (| 6.00 | 5.50 | 5.00 |
| 15 | to 18 | in. | B.&B | *************************************** | 8 | 3.00 | | |

BENZOIN aestivale 10'-12'

Spice Bush

The miniature yellow flowers early in April and scarlet berries in the fall makes Benzoin a useful woodland shrub.

| 2 | to | 3 | ft | 1.50 | 1.40 |
|---|----|---|----|------|------|
| 3 | to | 4 | ft | 1.80 | 1.60 |

BERBERIS Juliana nana 5'-6'

Dwarf Wintergreen Barberry

Evergreen. Foliage smaller, more compact grower. Seems very hardy.

| 15 | to | 18 | in. | B.&B | 5.00 | 4.50 |
|------|----|------|-----|------|------|------|
| 11/2 | to | 2 | ft. | B.&B | 7.00 | 6.50 |
| 2 | to | 21/2 | ft. | B.&B | 9.00 | |

verruculosa 3'

Warty Barberry

Evergreen. Rich lustrous green foliage turning dark red in fall—attractive yellow flowers.

| 12 | to 15 | in. B.&B | 3.50 | 3.00 |
|----|-------|----------|------|------|
| 15 | 4- 10 | in D & D | 4 50 | |

BETULA alba 30'-50'

European White Birch

Very attractive tree with white bark.

| 6 | to 8 | ft. B.&B | 12.00 |
|---|-------|----------|-------|
| 8 | to 10 | ft. B.&B | 16.00 |

-fastigiata 20'-25'

European White Birch

Beautiful white bark on main stem with Lombardy Poplar like branching habit.

| 4 | to | 5 | ft. | B.&B | 13.00 | |
|---|------|---|-----|------|-------|-------|
| 6 | to | 8 | ft. | B.&B | 18.00 | |
| 8 | to 1 | 0 | ft. | B.&B | 21.00 | 20.00 |

—laciniata 30'-40' Weeping Cutleaf White Birch Deep cut leaves. Silvery white bark, drooping branches. A fine graceful ornamental tree.

| 6 | to 8 | ft. B.&B | 16.00 | 15.00 | |
|----|-------|-----------|-------|-------|-------|
| 8 | to 10 | ft. B.&B | 19.00 | 17.00 | 16.00 |
| 10 | to 12 | ft. B.&B. | 22.00 | | |

BETULA populifolia 35'-40'

Gray Birch

This white bark clump birch makes a fine lawn decoration. Thrives in poor soil and dry places.

4 to 6 ft. clumps B.&B.... 9.00

6 to 8 ft. clumps B.&B.... 13.00

CALYCANTHUS floridus 4'-5' Common Sweetshrub Reddish-brown flowers, June-Sept. Spicy fragrance. Good foliage.

| 1 1/2 | to | 2 | ft | 1.10 | 1.00 | |
|-------|----|---|----|------|------|------|
| 2 | to | 3 | ft | 1.50 | 1.40 | 1.30 |
| 3 | to | 4 | ft | 1.70 | 1.60 | |

CERCIS Japonica (chinensis) 10'-12' Chinese Red Bud Compact growing shrub. Deep pink flowers before leaves.

| 2 | to | $2\frac{1}{2}$ | ft | 3.00 | 2.60 |
|---|----|----------------|----|------|------|
| 3 | to | 4 | ft | 3.50 | 3.00 |

CHAMAECYPARIS pisifera 25'-30' Sawara Cypress Fast grower, loosely pyramidal, Hardiest of family

| 4 | Labu | 810 | WCI | , 10 | osery pyramidar. | marule | st of ta | mmy. |
|---|----------------|-----|----------------|------|------------------|--------|----------|------|
| | $1\frac{1}{2}$ | to | 2 | ft. | B.&B | 5.00 | 4.50 | 4.00 |
| | 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 6.00 | 5.50 | |
| | $2\frac{1}{2}$ | to | 3 | ft. | B.&B | 7.00 | 6.50 | 6.00 |
| | 3 | to | 4 | ft. | B.&B | 8.50 | 8.00 | |

—aurea 25'-30' Golden Sawara Cypress Foliage bright yellow especially in spring. Branches droop when older.

| 11/2 | to | 2 | ft. B.&B | 5.00 | 4.50 | 4.00 |
|------|----|------|-----------|-------|-------|------|
| 2 | to | 21/2 | ft. B.&B. | 6.00 | 5.50 | 5.00 |
| 21/2 | to | 3 | ft. B.&B. | 7.00 | 6.50 | 6.00 |
| 3 | to | 4 | ft. B.&B | 8.50 | 8.00 | 7.50 |
| 4 | to | 5 | ft. B.&B | 10.50 | 10.00 | |

| plumosa 25'-30' | Plume | Cypress |
|----------------------------|-----------------|---------|
| Forms a dense cone of fine | texture. Shears | well. |

| 11/2 to | 2 | ft. B.&B | 5.00 | 4.50 | 4.00 |
|---------|----------------|-----------|------|------|------|
| 2 to | $2\frac{1}{2}$ | ft. B.&B. | 6.00 | 5.50 | 5.00 |
| 21/2 to | 3 | ft. B.&B. | 7.00 | 6.50 | 6.00 |
| 3 to | 4 | ft. B.&B | 8.50 | 8.00 | 7.50 |

| | | | | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|-----------------|------|--------|------|---|--------------|----------------|-----------------|---|
| CHAM | ΔF | CYPA | PIS | plumosa | | | | |
| | | 20'-2 | | piamosa | | Golden I | Plume C | vpress |
| | | llow | | age. | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| | | 18 | | B.&B | ********** | 5.00 | 4.50 | 4.00 |
| 11/2 | to | 2 | ft. | B.&B | ******** | 6.00 | 5.50 | 5.00 |
| 2 | to | 21/2 | | B.&B | | | 6.00 | 5.50 |
| 21/2 | to | 3 | ft. | B.&B | ************ | . 8.00 | 7.00 | 6.50 |
| 3 | to | 4 | ft. | B.&B | *********** | 9.00 | 8.50 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | D | | | | |
| | | | ad, | rounded | top | bush. | Yellow- | tipped |
| brai | nche | es. | | | | | | |
| 12 | - | 15 | | B.&B | | | 4.50 | 4.00 |
| 15 | - | | | B.&B | | | 5.50 | |
| 18 | to | 24 | in. | B.&B | *********** | 7.00 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | sa 10 | | | | | Moss C | - |
| | | - | | growing | - | pact ev | ergree | n with |
| | | | | ay foliag | | 0.00 | | w 00 |
| 18 | | | | B.&B | | | 5.50 | 5.00 |
| 2 | to | 2 1/2 | It. | B.&B | | 7.50 | 6.00 | |
| | | | | | | | | |
| | | | | | | * | | |
| CLETH | - | | - | | | | Summe | |
| Spil | res | of fra | agra | ant flower | rs, Jul | y-Sept. | Prefers | s moist |
| | | laces | | | | 1 20 | 1 10 | 1.00 |
| $\frac{172}{2}$ | | 2 21/ | | | | | 1.10 1.40 | 1.30 |
| 3 | | 4 | | *********************** | | | 1.50 | 1.40 |
| 9 | to | 4 | 16 | ****************** | ********* | . 1.00 | 1.90 | 1.40 |
| | | | | | | | | |
| 2.2.200 | | | | | | | 4 | |
| | | | | pirica) 8'- | | | | |
| | | | | k, porce | | | iits — | quick |
| _ | | | | or winter | | | 4 40 | 4.00 |
| 2 | to | 3 | It | *************************************** | | . 1.20 | 1.10 | 1.00 |
| | | | | | | | | |
| | | | | | | | | |
| flori | da i | 15'-25 | , | | White | e Flower | ring Do | gwood |
| Whi | te | flowe | rs. | A most | | | | |
| | | | | berries in | | | | |
| 4 | to | 5 | ft. | B.&B | | 11.00 | 10.00 | 9.00 |
| 5 | to | 6 | ft. | B.&B | ********* | 15.00 | 14.00 | 13.00 |
| 6 | to | 7 | ft. | B.&B | ******** | 18.00 | 17.00 | |
| | | | | | | | | |

CORNUS florida rubra 15'-20' Red Flowering Dogwood Beautiful red flowers in spring. Berries similar to the white type.

| 3 | to | 4 | ft. B.&B | 12.00 | 11.00 |
|---|----|---|----------|-------|-------|
| 4 | to | 5 | ft. B.&B | 16.00 | 15.00 |

kousa chinensis 15'-18'

Chinese Dogwood

Large white flowers. Late June. Conspicuous cherry
like scarlet fruit attractive to birds.

| 3 | to | 4 | ft. | B.&B. | 12.00 |
|---|----|---|-----|-------|-------|
| 4 | to | 5 | ft. | B.&B | 14.00 |

| 2 | to | 3 | it. B.&B | -4.00 |
|---|----|---|-----------|-------|
| 3 | to | 4 | ft. B.&B. | 7.00 |
| 4 | to | 5 | ft. B.&B | 9.00 |
| 5 | to | 6 | ft. B.&B | 13.00 |
| | | | | |

stolonifera flaviramea 6'-8' Goldentwig Dogwood (lutea)

Yellow twig dogwood Excellent for winter offsets

Gray foliage and orange berries. Bushy plants, good root system.

| 2 | to | 3 | ft. B.&B | 6.00 | 5.50 |
|---|----|---|----------|------|------|
| 3 | to | 4 | ft. B.&B | 8.00 | |

horizontalis 1½'-2' Rock Cotoneaster

CRATAEGUS cordata 12'-15' (phaenapyrum)

Washington Thorn

White flowers in May followed by brilliant red berries nearly all winter. Colorful autumn foliage.

| | | | **** ****** *************************** | 40 00 0 0011112 | |
|---|----|---|---|-----------------|-------|
| 4 | to | 5 | ft. B.&B | 10.00 | |
| 5 | to | 6 | ft. B.&B | 15.00 | 14.00 |
| 6 | to | 8 | ft. B.&B. | 18.00 | |

oxycantha Pauls Scarlet 12'-15' Scarlet Hawthorn Double Scarlet flowers. 6 to 7 ft. B.&B. 17.00 16.00 7 to 8 ft. B.&B. 20.00 18.00 8 to 10 ft. B.&B. 26.00 24.00

| DEUTZ | A g | racil | is 3'-4' | Sle | ender D | eutzio |
|----------------|-----|----------------|---------------|----------|----------|--------|
| A pr | ofu | sion | of snow white | e flowe: | rs cover | bush |
| in M | ay. | | | | | |
| 12 | to | 15 | in | 1.10 | 1.00 | .90 |
| 15 | to | 18 | in | 1.30 | 1.20 | 1.00 |
| $1\frac{1}{2}$ | to | 2 | ft | 1.70 | 1.50 | 1.20 |
| 2 | to | $2\frac{1}{2}$ | ft | 1.90 | 1.70 | 1.40 |

| -ro | sea | 3′ | | Rose Pa | nicla D | eutzia |
|----------------|-------|------|---------------|---------|---------|--------|
| Pink | d flo | wers | , neat habit. | | | |
| $1\frac{1}{2}$ | to | 2 | ft | 1.30 | 1.20 | 1.00 |
| 2 | to | 3 | ft | 1.50 | 1.40 | 1.20 |
| 3 | to | 31/2 | ft | 1.80 | 1.60 | 1.40 |

| lemo | ine | 4'-5' | | Ler | noine D | eutzia |
|-------|------|-------|---------------------|-------|---------|--------|
| Lar | ge v | hite | flowers, June. Grad | eful. | | |
| 1 1/2 | to | 2 | ft | 1.20 | 1.10 | 1.00 |
| 2 | to | 3 | ft | 1.40 | 1.30 | 1.20 |
| 3 | to | 31/2 | ft | 1.70 | 1.50 | 1.40 |

| | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|--|----------------|-----------------|-----------------|
| EUONYMUS alatus 9'-10' | Win | ged Euc | onvmus |
| Interesting corky bark, cons | | | |
| Beautiful crimson autumn foliag | re. | | |
| 2 to 2½ ft | | 2.50 | 2.00 |
| 2½ to 3 ft | | | 2.50 |
| 3 to 4 ft | 4.00 | 3.50 | 3.00 |
| | | | |
| | | | |
| —compacta 4'-5' Compac | et Win | and Fue | MVMUS |
| A very neat, compact shrub. Br | | | |
| age starting in early and lasting | | COIOIC | u ion- |
| 1½ to 2 ft | | 2.00 | 1.60 |
| | 3.50 | 3.00 | 2.50 |
| 2½ to 3 ft | | | 3.00 |
| 3 to 4 ft | 5.00 | 4.50 | 4.00 |
| | 0.00 | 4.00 | 4.00 |
| | | | |
| patens 6'-8' | | | |
| (Kiantschvicus) | pread | ing Euo | nymus |
| | | | 1 1 |
| Almost Evergreen. Vigorous gro | | | broad |
| loose shrub. Ornamental orange 15 to 18 in. B.&B | | | 0.50 |
| | | 4.00 | 3.50 |
| | | 5.00 | 4.50 |
| 2 to 2½ ft. B.&B | | 6.00 | 5.50 |
| 2½ to 3 ft. B.&B | 8.00 | | |
| | | | |
| | | | |
| radicans 3'-4' | | /intercr | |
| Evergreen. Self-clinging vine | good : | for cov | ering |
| low walls. | | | |
| 2 year | | .90 | .80 |
| 3 year | 1.20 | 1.10 | 1.00 |
| | | | |
| | | | |
| -coloratus 6'-12' | rple W | /intercr | eeper |
| Evergreen. Long narrow leaves | | | |
| tinged purple above. | | | , |
| 2 year | 1.00 | .90 | .80 |
| _ | 1.20 | 1.10 | 1.00 |
| | | | |
| | | | |
| vegetus 3'-4' Big | leaf W | intercr | eener |
| Evergreen. Bushy. Leaves round | | | |
| let fruit. Handsome among everg | | | 2001 |
| | 1.60 | 1.50 | 1.20 |
| | 1.80 | | 1.50 |
| | 2.00 | 1.00 | 1,00 |

FORSYTHIA intermedia

-Lynwood Gold 5'-7'

Lynwood Gold

Erect branches covered with bright yellow flowers from top to bottom. Introduced from Ireland.

| 2 | to | 3 | ft | 1.50 | 1.40 | |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.60 | 1.50 | 1.40 |
| 4 | to | 5 | ft | 1.90 | 1.80 | |

---spectabilis 8'-9'

Showy Goldenbell

Most profuse of all. Large rich golden yellow flowers.

| 2 | to | 3 | ft | 1.50 | 1.40 | 1.20 |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.60 | 1.50 | 1.40 |

-Spring Glory 6'-8'

Spring Glory

This new forsythia is the loveliest of all Golden Bells, large pale yellow flowers completely covering branches, it is said to produce twice the number of blossoms of ordinary forsythias.

| 2 | to | 3 | ft | 1.50 |
|---|----|---|----|------|
| 3 | to | 4 | ft | 1.60 |
| 4 | to | 5 | ft | 1.90 |

suspenso 4'-6'

Weeping Goldenbell

Graceful drooping habit. Bright yellow. Excellent on banks.

| ~ | ~ ~~~~ | ~• | | | | |
|---|--------|----|----|------|------|------|
| 2 | to | 3 | ft | 1.50 | 1.40 | 1.30 |
| 3 | to | 4 | ft | 1.60 | 1.50 | 1.40 |
| 4 | to | 5 | ft | 1.90 | 1.80 | 1.70 |

viridissima bronxensis 18"

Dwarf Goldenbell

New introduction from Bronx Botanical Gardens of New York. A little brother to the golden bell family. Handsome neat foliage, profusion of tiny golden flowers early spring. Good garden plant. Full sunlight preferred.

| 6 | to 9 | in | 1.50 | 1.40 | 1.20 |
|---|-------|----|------|------|------|
| 9 | to 12 | in | 1.60 | 1.50 | 1.40 |

| | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|--|----------------|-----------------|-----------------|
| HALESIA tetraptera 12'-15' | Gr | eat Silv | er Bell |
| Snow-white bell-shaped flowers | s in M | av. Pro | fusely |
| borne on branchlets. | | | Labory |
| 3 to 4 ft | 2.00 | | |
| 4 to 5 ft | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft | 4.00 | 3.50 | |
| | | | |
| —————————————————————————————————————— | | on Witc | |
| Yellow ribbon-like flowers. Oct. | -Nov. | Good f | oliage. |
| Best in moist, half shade. | | | |
| 2 to 3 ft | | 1.40 | 1.20 |
| 3 to 4 ft | 1.90 | 1.60 | |
| HEDERA helix 20'-50' | | Engl | ish Ivy |
| | 11 | | isn ivy |
| Evergreen. Ideal ground and wa 4 in. pots | | r. .80 | .70 |
| —baltica 20'-50' Evergreen. Slightly smaller lea | ves wi | th pron | tic Ivy |
| white veins. Clings better than a | | | |
| 4 in, pots | 1.00 | .90 | .80 |
| —Pittsburg 20'-50' | - 1 | Branchi | ng Ivy |
| Evergreen. Small foliage, self-b | ranchi | ng habi | it. |
| 4 in. pots | 1.00 | .90 | .80 |
| | | | |
| HIBISCUS syriacus 10'-12' | | se of S | |
| Good old fashioned summer and | l autui | nn bloc | ming |
| shrub. | | | |
| —Jeanne D'Arc—double white | | | |
| 3 to 4 ft | 1.40 | 1.30 | 1.10 |
| 4 to 5 ft | 2.00 | 1.80 | |

5 to 24 25 & up 1 to 4 Each

HIBISCUS syriacus

-rubis-large single red

When in full bloom this Rose of Sharon reminds one of the southern crepe myrtle.

| 3 | to | 4 | ft | 1.40 |
|---|----|---|----|------|
| 4 | to | 5 | ft | 2.00 |

-Wm. R. Smith-single white

| 2 | to | 3 | ft | 1.20 | 1.00 | |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.50 | 1.30 | 1.20 |
| 4 | to | 5 | ft | 2.00 | 1.80 | |

HYDRANGEA

paniculata grandiflora 4'-5' Peegee Very showy blooms, August.

| 2 | to | 3 | ft | 1.40 | 1.30 | |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.60 | 1.50 | 1.30 |
| 4 | to | 5 | ft | 1.80 | 1.60 | |

quercifolia 3'-4'

Oakleaf Hydrangea

Large leaves shaped like an oak leaf. Splendid autumn coloring-succeeds in shade.

| $1\frac{1}{2}$ | to | 2 | ft | 2.00 | 1.80 |
|----------------|----|----------------|----|------|------|
| 2 | to | $2\frac{1}{2}$ | ft | 2.40 | 2.20 |
| 21/2 | to | 3 | ft | 3.00 | |

HYPERICUM aureum 3'-4'

Golden St. Johnswort

Yellow, July-Aug. Blue-green foliage. Dense habit. Good for margin of shrubbery.

| 2 | to | 3 | ft | 1.70 | 1.50 |
|---|----|---|----|------|------|
| 3 | to | 4 | ft | 2.00 | 1.80 |

hidcote 21/2'-3'

St. Johnswort

Large waxy golden flowers from June to Sept. makes this plant a striking summer shrub. The top often freezes back, but grows again from the base each year.

| 2 | year | 0.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 1.10 | 1.00 |
|---|------|---|------|------|
| 3 | year | 40840000000000000000000000000000000000 | 1.40 | 1.20 |

ILEX crenata

| -nigra | 8'-10 | • | Selected | Japanese | Holly |
|-------------------|----------------|----------|----------|----------|-------|
| $1\frac{1}{2}$ to | 2 | ft. B.&B | 9.0 | 0 8.50 | |
| 2 to | $2\frac{1}{2}$ | ft. B.&B | 11.0 | 0 10.50 | 10.00 |
| 2½ to | 3 | ft. B.&B | 13.0 | 0 12.50 | |
| 3 to | $3\frac{1}{2}$ | ft. B.&B | 15.5 | 0 | |
| 3½ to | 4 | ft. B.&B | 19.0 | 0 | |

—convexa (bullata) 4'-5' Boxleaf Japanese Holly Evergreen. Good dwarf Ilex. Boxwood like foliage. We are proud of the quality of these plants.

| | | 1 | | T . | |
|----------------|----|----|----------|-------|------|
| 12 | to | 15 | in. B.&B | 5.50 | 5.00 |
| 15 | to | 18 | in. B.&B | 7.00 | 6.50 |
| $1\frac{1}{2}$ | to | 2 | ft. B.&B | 10.00 | |

-helleri 1½'-1¾'

Heller Japanese Holly

A very dwarf low spreading type with miniature leaves.

9 to 12 in. spread B.&B.... 4.00

—microphylla 8'-10' Littleleaf Japanese Holly Smaller leaves and more hardy than the type. More compact habit. Well sheared plants.

| 15 | to 18 | in. B.&B | 6.00 | 5.50 |
|----|---------|----------|-------|-------|
| 18 | to 24 | in. B.&B | 9.00 | 8.50 |
| 2 | to 21/2 | ft. B.&B | 12.00 | 11.50 |

-rotundifolia (latifolia) 12'-15'

Roundleaf Japanese Holly

Evergreen. Large glossy round foliage, broad oval habit, good for hedge or mass plantings.

| 12 | to 15 | in. B.&B | 5.50 | 5.00 | 4.50 |
|------|-------|----------|------|------|------|
| 15 | to 18 | in. B.&B | 7.00 | 6.00 | |
| 11/2 | to 2 | ft. B.&B | 9.00 | 8.50 | |

glabra 4'-6'

Inkberry

Evergreen. Shining dark green leaves. Purplish in winter. Black berries. Good in shade or sun. Plants offered here are grown from a uniform superior selected strain. Each plant sheared.

| 15 | to | 18 | in. | B.&B | 5.00 | 4.50 |
|------|----|------|-----|-------|------|------|
| 11/2 | to | 2 | ft. | B.&B | 6.50 | |
| 2 | to | 21/2 | ft | R & R | 8.00 | |

ILEX verticillata female (Fruiting) 8'-10'

Common Winterberry

Bright red berries persisting to mid-winter if not eaten by birds. Prefers moist soil.

| 2 | to | 3 | ft | 1.80 |
|---|----|---|----|------|
| 3 | to | 4 | ft | 2.20 |
| 4 | to | 5 | ft | 2.50 |

—male (non fruiting) 8'-10' Common Winterberry Both our male and female Ilex are grown from cuttings, thus insuring sex.

| 2 | to | 3 | ft | 1.80 |
|---|----|---|----|------|
| 3 | to | 4 | ft | 2.20 |

| JASMII | NUN | A ni | Winter Jasmine | | | |
|----------------|-----|------|----------------|------|------|------|
| Yello | ow. | Ap: | ril-May. | | | |
| $1\frac{1}{2}$ | to | 2 | ft | 1.20 | 1.10 | 1.00 |
| 2 | to | 3 | ft | 1.50 | 1.40 | |

JUNIPERUS chinensis columnaris 20'-25' Column Juniper Fast growing narrow columnar. Gray-green foliage.

| 5 | | 6 | ft. | B.&B | 20.00 | 18.00 |
|---|----|---|-----|------|-------|-------|
| 6 | to | 7 | ft. | B.&B | 24.00 | 22.00 |

—compact form 20'-25' Compact Column Juniper Very narrow dense compact columnar growing Juniper with striking gray-green foliage.

| 5 | to | 6 | ft. B.&B | 20.00 | 18.00 |
|---|----|---|----------|-------|-------|
| 6 | to | 7 | ft. B.&B | 24.00 | |

| 15 | to | 18 | in. | B.&B | 6.00 | | |
|----------------|----|----------------|-----|-------|-------|------|------|
| $1\frac{1}{2}$ | to | 2 | ft. | B.&B | 7.50 | 7.00 | 6.50 |
| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 9.00 | 8.50 | 8.00 |
| 21/2 | to | 3 | ft. | B.&B. | 10.00 | 1 | |

| 1 to 4 | 5 to 24 | 25 & up |
|--------|---------|---------|
| Each | Each | Each |

| JUNIPERUS (| chinensis |
|-------------|-----------|
|-------------|-----------|

| -keteleeri 18'-20' | Kete | leer C | edar | | |
|---------------------------------------|--------|--------|----------|-------|------|
| Good green foliage, berries. Compact. | making | a | pyramid. | Slate | blue |

| 3 | to | 4 | ft. B.&B | 10.50 | 10.00 |
|---|----|---|----------|-------|-------|
| 4 | to | 5 | ft. B.&B | 14.00 | 13.50 |
| 5 | to | 6 | ft. B.&B | 18.00 | 17.00 |

| —pfitzeriana | 1 5'-6' | | fitzer J | uniper |
|---------------------|-------------------|-------|----------|--------|
| Gray green | feathery foliage. | Broad | bushy | habit. |
| Very popula | | | • | |
| 15 to 18 | in. spr. B.&B | 6.00 | 5.50 | |
| $1\frac{1}{2}$ to 2 | ft. spr. B.&B | 7.50 | 7.00 | 6.50 |
| 2 to 2½ | ft. spr. B.&B | 9.50 | 9.00 | 8.00 |
| 2½ to 3 | ft. spr. B.&B | 11.00 | 10.00 | |

| excelsa stricta | 5'-6' | Spiny Greek Juniper |
|-----------------|--------------------|---------------------|
| Compact, well | shaped pyramid. | Foliage gray-green |
| -most useful | for formal effects | S. |

| 15 | to 1 | 8 in. | B.&B | 3.50 | 3.00 | 2.60 |
|----------------|------|-------|------|------|------|------|
| $1\frac{1}{2}$ | to | 2 ft. | B.&B | 4.00 | 3.50 | |

| horiz | cont | alis : | 1'-2' | Horize | ontal Ju | ıniper | |
|----------------|------|----------------|-------|-----------------|----------|---------|--------|
| Pros | stra | te, g | ood | for rock work a | and grou | nd cove | ering. |
| 15 | to: | 18 | in. | B.&B | 6.00 | 5.50 | 5.00 |
| $1\frac{1}{2}$ | to | 2 | ft. | B.&B | 7.00 | 6.50 | |
| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 8.50 | 8.00 | |

| | ar harbo | | | arbor Ju | nipe |
|-----|----------|------------------------|------|----------|------|
| Gra | ay-green | ı foliage, very dwarf. | | | |
| 9 | to 12 | in. spr. B.&B | 5.00 | 4.50 | |
| 12 | to 15 | in. spr. B.&B | 6.00 | 5.50 | |
| 15 | to 18 | in. spr. B.&B | 8.00 | | |

| -glauca 1' Blu | ıe Horiz | ontal J | uniper |
|--------------------------------|----------|---------|--------|
| Blue-gray in summer, purple in | winter. | | |
| 15 to 18 in. B.&B | 6.00 | 5.50 | |
| 1½ to 2 ft. B.&B | | 6.50 | |
| 2 to 2½ ft. B.&B | 8.50 | 8.00 | 7.00 |
| 2½ to 3 ft. B.&B. | 10.00 | 9.50 | |

| | | | | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|----------------|------|--------|-------|-----------------------|----------------|----------------|-----------------|-----------------|
| JUNIPE | RUS | Shor | izo | ntalis | | | | |
| | | | | | Andor | ra Cre | eping J | uniper |
| | | | | summer, | | | | |
| pact. | _ | | | , | | | | |
| | | 18 | in. | B.&B | | 6.00 | 5.50 | |
| | | | | B.&B | | | 6.50 | 6.00 |
| | | | | B.&B | | | 8.00 | |
| | | | | B.&B | | | | |
| _ / | | | | | | | | |
| | | | | | | | | |
| squa | mat | a 1'-1 | 2." | | | Singl | eseed J | uniper |
| | | | | iage. Equ | ally r | | | |
| cold. | 8. | CCII | 101 | age. 11qe | idily 1 | Colour | 10 00 11 | 040 01 |
| | to 1 | 15 | in | B.&B | | 5.50 | | |
| 14 | 10 1 | | 111. | D. C.D | ************** | 0.00 | | |
| | | | | | | | | |
| | • | | | 12'-15' | | Danie (| Ciloren I | |
| | | | | | | | Sliver J | uniper |
| | | | | orms a de | | | | |
| 3 | to | 4 | It. | B.&B | *********** | 10.50 | | |
| | | | | | | | | |
| | | | | | | | | |
| ca | nnai | rti 20 |)'-25 | 5' | | C | annart | Cedar |
| | | | | green fo | liage— | -dense | growin | g col- |
| umna | ar f | orm. | | | | | | |
| $2\frac{1}{2}$ | to | 3 | ft. | B.&B | | 8.50 | | |
| 3 | to | 4 | ft. | B.&B | *********** | 10.50 | 10.00 | 9.50 |
| | | | | | | | | |
| | | | | | | | | |
| gla | | | | | | | Silver | Cedar |
| Blue | - | | • | | | | | |
| | | | | B.&B | | | 8.00 | |
| 3 | to | 4 | ft. | B.&B | *********** | 10.50 | 10.00 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | oilis 6'-9' | | | | y Bush |
| | | | | growing | shrub | with | pink f | lowers |
| and r | | | | | | | | |
| | | | | ********************* | | 1.50 | 1.30 | |
| | | | | ***************** | | | 1.70 | |
| 4 | to | 5 | ft | **************** | *********** | 2.40 | 2.00 | 1.70 |
| | | | | | | | | |
| | | | | | | | | |
| LABUR | | | si] | 8'-20' | | | Golden | Chain |
| (wat | erei | ri) | | | | | | |

1 to 4 5 to 24 25 & up

LEUCOTHOE axillaris 2'-3'

Dwarf Leucothoe

Closely resembling the variety catesbaei only more dwarf, more compact, and more freely branching in habit.

to 24 in. B.&B. 10.00 18 9.50

catesbaei 4'-5'

Drooping Leucothoe

(nursery grown only)

Attractive racemes of pure white flowers. May. Handsome lustrous evergreen leaves, rich autumn coloring. Prefers moist place, shade or sun.

| 15 | to | 18 | in. | B.&B | 6.00 | 5.50 |
|----------------|----|----------------|-----|------|-------|------|
| $1\frac{1}{2}$ | to | 2 | ft. | B.&B | 8.00 | 7.50 |
| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 10.00 | 9.50 |

LIGUSTRUM regelianum 4'-5'

Regel Privet

Low dense, spreading. Very desirable for hedge.

| $1\frac{1}{2}$ | to | 2 | ft | 1.00 | .90 | .80 |
|----------------|----|---|----|------|------|-----|
| | | | ft | | | |
| 21/2 | to | 3 | ft | 1.50 | 1.40 | |

LIQUIDAMBAR styraciflua 80'-100'

Sweet Gum

Corky bark. Star-shaped leaves. Good autumn color. Grows well in moist places.

8 to 10 ft., 1¼ to 1½ in. B.&B. 18.00

9 to 10 ft., 1½ to 1¾ in. B.&B. 22.00

10 to 11 ft., 1% to 2 in, B,&B, 27.00


LONICERA fragrantissima 6'-8' Winter Honeysuckle Fragrant white flowers, April-May. Half-Evergreen

| 8-6 | CII. | | | | |
|-----|------|---|----|------|------|
| 2 | to | 3 | ft | 1.20 | 1.10 |
| 3 | to | 4 | ft | 1.60 | 1.50 |
| 4 | to | 5 | ft | 2.00 | |

morrowi 7'-8' Morrow Honeysuckie Spreading habit. Fragrant yellow flowers, May-June. Red berries.

| 2 | to | 3 | ft | 1.20 | 1.10 | |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.50 | 1.40 | 1.20 |
| 4 | to | 5 | ft | 1.80 | 1.60 | 1.50 |





F & F NURSERIES

CRAWFORD & ROBERTS ROAD, HOLMDEL, N. J.

Adjacent to Bell Telephone Research Laboratories

LONICERA

| tato | ro | sea 8 | 3'-10' | Pin | k To | tarian | Honey | suckle | |
|------|------|-------|--------|------------------|------|--------|---------|--------|--------|
| Fra | grai | nt 1 | oink | flowers. | Red | fru | it, ver | y adap | table. |
| 2 | to | 3 | ft. | | | ***** | 1.20 | 1.10 | 1.00 |
| 3 | to | 4 | ft. | *************** | | | 1.50 | 1.40 | 1.20 |
| 4 | to | 5 | ft. | **************** | | ***** | 1.80 | 1.60 | 1.50 |

| zc | —zabeli 8'-10' | | | | | | | True Red Honeysuckie | | | |
|-----|---------------------------------------|-----|-----|------|---|-----|-----|----------------------|--------|------|--|
| Con | side | red | the | best | \mathbf{of} | the | red | flo | wering | bush | |
| hon | honeysuckle. Red fruit in early fall. | | | | | | | | | | |
| 3 | to | 4 | ft | | | | 1. | 50 | 1.40 | 1.20 | |
| 4 | to | 5 | ft | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 1.3 | 80 | 1.60 | 1.50 | |

MAGNOLIA

The following magnolias have been transplanted and pruned, thus assuring a good bushy plant.

MAGNOLIA glauca (virginiana) 15'-20' Sweetbay

Delightfully fragrant creamy flowers in May. Leaves nearly evergreen. Prefers moist location.

| Lea | ves | nea | urry | evergreen. | rreters | moist | location. |
|-----|-----|-----|------|------------|-------------|-------|-----------|
| 2 | to | 3 | ft. | B.&B | 6. 0 | 0 5. | 50 |
| 3 | to | 4 | ft. | B.&B | 9.0 | 0 8. | 50 |
| 4 | to | 5 | ft. | B.&B | 11.0 | 0 10. | 00 9.00 |
| 5 | to | 6 | ft. | B.&B. | 14.0 | 0 | |

parviflora 10'-12'

Oyama Magnolia

White cup-shaped flowers with red stamens in the center. The flowers are fragrant and continue blooming sparingly during summer.

| 3 | to | 4 | It. | B.&B | 12.00 |
|---|----|---|-----|------|-------|
| 4 | to | 5 | ft. | B.&B | 16.00 |

soulangeana 18'-20'

Saucer Magnolia

Large purplish pink and white flowers, May. Best transplanted in spring.

| 2 | to | 3 | ft. B.&B | 8.00 | 7.50 |
|---|----|---|----------|-------|-------|
| 3 | to | 4 | ft. B.&B | 10.00 | 9.00 |
| 4 | to | 5 | ft. B.&B | 14.00 | 13.00 |
| 5 | to | 6 | ft. B.&B | 18.00 | 15.00 |

MAGNOLIA soulangeana

--rustica 15'-18'

Purple Saucer Magnolia

A late season magnolia with conspicuous pointed cup shape attractive rosy red flowers.

| 3 | to | 4 | ft. | B.&B | 12.00 | 11.00 |
|---|----|---|-----|-------|-------|-------|
| 4 | to | 5 | ft. | B.&B | 16.00 | 14.00 |
| 5 | to | C | £+ | P & P | 20.00 | |

stellata rosea 12'-18'

Pink Star Magnolia

Attractive starry shaped pink fragrant flowers. Blooms before leaves appear.

| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 12.00 |
|------|----|----------------|-----|------|-------|
| 21/2 | to | 3 | ft. | B.&B | 14.00 |
| 3 | to | 4 | ft. | B.&B | 18.00 |

MALUS

Each and every Flowering Crab offered here has been properly pruned and transplanted as 2 year olds, thus assuring a better root system.

MALUS arnoldiana 12'-15'

Arnold Crab

Large semi-double flowers, deep pink in bud expanding to almost white, one of the most beautiful crabs.

| 5 | to | 6 | ft. | B.&B | 14.00 | |
|---|----|---|-----|------|-------|-------|
| 6 | to | 8 | ft. | B.&B | 19.00 | 18.00 |

atrosanguinea 12'-15'

Carmine Crab

A multitude of dark pink flowers shading to deep purple crimson.

| 5 | to | 6 | ft. B.&B | 14.00 | |
|---|----|---|----------|-------|-------|
| 6 | to | 8 | ft. B.&B | 19.00 | 18.00 |

eleyi 15'-20'

Ely Crab

Rich purple red, very striking early flowering attractive fruit.

| 5 | to | 6 | ft. | B.&B | 14.00 |
|---|----|---|-----|------|-------|
| 6 | to | 8 | ft. | B.&B | 19.00 |

MALUS floribunda 12'-15' Japanese Flowering Crab

Bright pink buds and white open flowers literally clothing the entire tree.

| 5 | to | 6 | ft. | B. | &B | 14.00 | |
|---|----|---|-----|----|----|-------|--|
| | | | | | | | |

6 to 8 ft. B.&B...... 19.00 18.00

hopa 12'-15'

Hopa Crab

Large rose color flowers, most striking of deep colored crabs, large red fruit.

| 5 | to | 6 | ft. | B.&B | 14.00 |
|---|----|---|-----|-------|-------|
| 6 | to | Q | ft | R & R | 19.00 |

8 to 10 ft. B.&B...... 25.00 24.00

10 to 12 ft. B.&B....... 30.00

ionensis plena 15'-18'

Bechtels Crab

Large double pure pink fragrant flowers on long stalks. Slow grower—last to flower.

| 4 | to | 5 | ft. | B.&B | 12.00 |
|---|----|---|-----|------|-------|
| 5 | to | 6 | ft. | B.&B | 14.00 |

Katherine 12'-15'

Katherine Crab

A beautiful new introduction. Double pink flowers of lasting quality.

| 5 | to | 6 | ft. | B.&B | 14.00 |
|---|----|---|-----|------|-------|
| 6 | to | 8 | ft. | B.&B | 19.00 |

prunifolia 12'-15'

Pearleaf Crab

Large single white flowers—beautiful colored long lasting fruit much loved by birds, fine for preserving.

| 6 | to 8 | ft. B.&B | 19.00 |
|---|-------|----------|-------|
| 8 | to 10 | ft. B.&B | 25.00 |

sargenti 8'-9'

Sargenti Crab

Spreading habit, white flowers, beautiful small lasting scarlet fruit. Very dwarf grower.

| 3 | to | 4 | ft. B.&B | 11.00 |
|---|----|---|----------|-------|
| 4 | to | 5 | ft. B.&B | 13.00 |

1 to 4 5 to 24 25 & up

MALUS scheideckeri 12'-15'

Scheidecker Crab

Large semi-double pink flowers of lasting quality. Waxy vellow fruits of short duration.

| 5 | to | 6 | ft. B.&B | 14.00 |
|---|----|---|----------|-------|
| 6 | to | 8 | ft. B.&B | 19.00 |

sieboldi calocarpa 12'-15' Thick Fruited Crab Abundant translucent cherry-like fruit, adhering till late Winter, flowers white slightly tinged with pink.

| 4 | to | 5 | ft. B.&B | 12.00 |
|---|----|---|----------|-------|
| 5 | to | 6 | ft. B.&B | 14.00 |
| 6 | to | 8 | ft. B.&B | 19.00 |

spectabilis 12'-15' Chinese Flowering Crab Fragrant semi-double delicate pink flowers, habit of tree somewhat upright.

| 5 | to | 6 | ft. | B.&B | 14.00 |
|---|----|---|-----|------|-------|
| 6 | to | 8 | ft. | B.&B | 19.00 |

theifera 15'-18'

Tea Crab

The vase outline of this rather stiff branching crab is unique, blush white flowers, red in bud.

| 5 | to | 6 | ft. | B.&B | 14.00 |
|---|----|---|-----|------|--------|
| | | _ | | | T.4.00 |

OXYDENDRUM arboreum 30'-35'

Sourwood

Graceful clusters of white flowers. Aug. Good leathery foliage Fine autumn colon

| | | | rago, i me advanti e | |
|---|----|---|----------------------|-------|
| 3 | to | 4 | ft. B.&B | 7.00 |
| 4 | to | 5 | ft. B.&B | 9.00 |
| 5 | to | 6 | ft. B.&B | 13.00 |

PACHYSANDRA terminalis 6"-8" Japanese Spurge

.36

.32

Evergreen. Ideal ground cover for shady places. $2\frac{1}{2}$ in. deep pots, \$240 per M.

| | | | | | | | 1 to 4 Each | | 25 & up Each |
|--------------|--------|-------|--------|---------|------------|-----------|----------------|----------|-----------------|
| PHIL | ADEL | PHU | JS cor | onari | us 7'- | .9' | | Mock (| Drange |
| Tł | ne old | fas | shione | d Sw | eet S | Syrin | ga — | white f | lowers |
| w | th pr | ono | unced | yello | w cei | nters. | | | |
| 3 | to | 4 | ft | | | | 1.60 | 1.40 | 1.20 |
| 4 | to | 5 | ft | | ********* | ******** | 1.80 | 1.70 | 1.50 |
| 5 | to | 6 | ft | | ******** | ********* | 2.20 | 2.00 | 1.80 |
| | | | | | | | | | |
| | | | | | | | | | |
| lei | noine | 4'-5 | • | | | Le | moine | Mock C | Drange |
| \mathbf{D} | warf | gro | wer, | comp | pact | habi | t. Fr | agrant | semi- |
| | | | e flow | | | | | | |
| 2 | to | 21/ | 2 ft | | ********* | ********* | 1.70 | 1.60 | |
| 2 | ½ to | 3 | ft | | | ****** | 1.80 | 1.70 | |
| 3 | to | 4 | ft | | ********** | ******* | 2.20 | 2.00 | |
| | | | | | | | | | |
| | | | | | | | | | |
| mi | nneso | ta s | nowflo | ike 6'- | -8' | Snov | vflake | Mock C |)range |
| Th | is fr | agra | ant, n | ew in | trod | uctio | n pro | duces a | great |
| ab | undai | nce | of fu | lly de | ouble | e pur | e whi | ite flow | ers in |
| Ju | ne an | d ea | rly Ju | aly. | | | | | |
| 2 | to | 3 | ft | | | | 1.40 | 1.30 | |
| 4 | to | 5 | ft | | | | 1.80 | 1.70 | 1.50 |
| | | | | | | | | | |
| | | | | | | | | | |
| vii | ginal | is 7' | -8' | | | Vi | rginal | Mock C | range |

| virginalis 7'-8' | Virginal Mock Orang | | | | |
|------------------------|---------------------|-------------|--|--|--|
| A tall neat shrub with | large nure white | semi-double | | | |

A tall neat shrub with large pure white semi-double flowers throughout summer. Fragrant.

| 2 | to | 3 | ft | 1.40 | 1.30 | 1.10 |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.60 | 1.40 | 1.20 |
| 4 | to | 5 | ft | 1.80 | 1.70 | |

PHOTINIA villosa 12'-15'

Christmas Berry

White flowers in June. Rich scarlet berries profusely borne in autumn. Splendid foliage.

| 3 | to | 4 | ft | 3.00 |
|---|----|---|----|------|
| 4 | to | 5 | ft | 5.00 |

PIERIS japonica 6'-7'

Japanese Andromeda

Evergreen. Drooping clusters of small fragrant white flowers in May. Frequently called Japanese bush Lily of Valley.

| 15 | to | 18 | in. | B.&B | 7.00 |
|------|----|------|-----|------|-------|
| 11/2 | to | 2 | ft. | B.&B | 9.00 |
| 2 | to | 21/2 | ft. | B.&B | 12.00 |

PLATANUS orientalis 70'-90'

Oriental Plane or Sycamore (Acerifolium—London Plane)

Strong grower, deep rooted. Stands soot, smoke and resists heat very well. Smooth almost white bark when developed. Good street or lawn tree. Needs no spraying. Straight stems. Leaders intact. Well furnished crowns.

8 to 9 ft., 1¼ to 1½ in. 12.00 11.50 11.00

9 to 10 ft., 1½ to 1¾ in. 14.00 13.50 13.00

10 to 12 ft., 1¾ to 2 in. 18.00 17.00

11 to 13 ft., 2 to 2¼ in. 24.00 22.00

12 to 14 ft., 2¼ to 2½ in. 28.00

| PRUNUS glandulosa 4'-5' | Pink Flowering Almond |
|---|---|
| Pure pink double flowers co | |
| May. | |
| 18 to 24 in | 1.20 1.10 1.00 |
| | |
| serrulata Beni-Higan 20'-25' | Higan Cherry |
| Early single pink. | |
| 5 to 6 ft. B.&B | |
| 6 to 7 ft. B.&B | 19.00 |
| —kwanzan 20'-30' Upright J Large double deep pink flow | apan Flowering Cherry ers almost red in bud. |
| Most popular double form. | |
| 5 to 6 ft. B.&B | |
| 6 to 7 ft. B.&B | |
| 8 to 10 ft. B.&B | 25.00 |
| —naden 20'-30' | Double Pink |

| | -IIU | uell | 1 4 | 7-30 | | | | Donple | Pink |
|---|------|------|-----|---------|-------|-----------|-------|--------|------|
| 7 | Simi | lar | to | Kwanzan | but a | a lighter | pink. | | |
| | E | 4 | 0 | CI | | | 4 0 0 | | |

thundercloud 12'-15' Purpleleaf Flowering Plum Bright purple foliage. Best of the purple leaf plums.

| 6 | to 7 | ft. B.&B | 15.00 |
|---|-------|-----------|-------|
| 8 | to 10 | ft. B.&B. | 19.00 |

PYRACANTHA coccinea Ialandi 15'-18' Firethorn Evergreen. A beautiful broad-leaved evergreen,

with large clusters of orange berries in the fall. Propagated from fruiting plants only.

5 in. pots 4.50 4.00 3.50

graberi 15'-18' Red Fruiting Firethorn Similar to Lalandi, but red berries.

QUERCUS palustris 70'-90'

Pin Oak

A most desirable and adaptable Oak. Excellent Autumn foliage coloring, good deep rooted tree. A rapid growing oak.

| 9 to 10 ft., 1 | 1½ to 1¾ | in | 16.00 | 15.00 |
|----------------|----------|----|-------|-------|
|----------------|----------|----|-------|-------|

10 to 11 ft., 1¾ to 2 in..... 19.00

11 to 12 ft., 2 to 2¼ in..... 25.00

12 to 13 ft., 2¼ to 2½ in...... 30.00

13 to 14 ft., 2½ to 3 in...... 36.00

rubra (borealis) 70'-80'

Red Oak

Medium quick growing oak tree, large leaves with good autumn coloring. Best transplanted in spring.

| 9 | to | 10 | ft., | $1\frac{1}{2}$ | to | 1% | in | 16.00 |
|---|----|----|------|----------------|----|----|----|-------|
| | | | | | | | | |

RHAMNUS cathartica 10'-12' Common Buckthorn

Good background shrub with prominent glittering black berries. Shiny green leaves.

| 2 | to | 3 | ft | 1.10 | 1.00 | .80 |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.50 | 1.20 | 1.10 |
| 4 | to | 5 | ft | 1.80 | 1.60 | |

frangula 10'-12' Glossy Buckthorn

Berries red changing to black. Leaves good fall coloring.

| 2 | to | 3 | ft | 1.10 | 1.00 | |
|---|----|---|-----|------|------|------|
| 3 | to | 4 | ft | 1.50 | 1.20 | |
| 4 | to | 5 | ft | 1.80 | 1.60 | 1.40 |
| 5 | to | 6 | ft. | 2.00 | 1.80 | |

1 to 4 5 to 24 25 & up Each

RHODODENDRON

NAMED HYBRIDS

Boule de Niege 4' Dwarf Snowball Rhododendron Extremely hardy dwarf compact plant. Large clusters pure white flowers.

12 to 15 in. B.&B...... 12.00

Red flowering varieties Hybrid Rhododendron America Caractacus Dr. H. C. Dresselhuis **Ignatius Sargent**

15 to 18 in. B.&B...... 10.00 9.50 1½ to 2 ft. B.&B...... 14.00 13.50

White flowering varieties Hybrid Rhododendron album elegans

catawbiense album

1½ to 2 ft. B.&B...... 14.00 13.50 2½ to 3 ft. B.&B...... 20.00

RHODOTYPOS scandens **Jetbead** Fresh green foliage, white flowers, May-June. Shiny bead-like black berries all winter.

ft..... to 3 1.60 1.50 3 to 4 ft..... 1.90 1.80 1.70

SALIX elegantissima 30'-40' Thurlow Weeping Willow More vigorous and upright in habit.

8 to 10 ft..... 7.00

SORBUS aucuparia 20'-30' European Mountain Ash

A valuable tree on a small lawn. The orange scarlet berries are very striking.

8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in...... 9.00 8.00 9 to 10 ft., 1½ to 1¾ in..... 11.00 10.00 9 to 10 ft., 1¾ to 2 in..... 13.00 10 to 11 ft., 2 to 2½ in...... 17.00 15.00

11 to 12 ft., 2¼ to 2½ in...... 20.00

| | | | | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|------------|------------|----------------|---------|--------------|--|----------------|-----------------|-----------------|
| SPIRA | EA A | Anth | ony W | atere | r 3' An | thony W | aterer | Spired |
| Deep | o ri | ch, | rose-p | ink. I | Blooms | all sum | mer. R | eddish |
| gree | | _ | | | | | | |
| 15 | | | | | ************* | | | |
| 18 | | | | | | | 1.30 | |
| | | | | | | | 1.70 | 1.60 |
| 3 | to | $3\frac{1}{2}$ | ft | ************ | ************* | . 2.20 | | |
| vanh | out | tei 5 | '-6' | | | Van | Houtte | Spirea |
| | | | | . Gra | ceful h | abit. F | | |
| | | _ | aptabl | | | | | |
| 2 | | 3 | _ | | | 1.20 | 1.10 | 1.00 |
| 3 | to | 4 | ft | | | 1.50 | 1.30 | |
| | | | | | | | | |
| STEPH | ANA | AND | RA flex | kuosa . | 5′-6′ | Cutleaf | Stephe | nandra |
| (inci | sa) | | | | | | | |
| | | | | | . Hand | some fo | liage, s | similar |
| to sn | | | ple lea | | | | | |
| 2 | | | | | | 1.10 | | |
| 3 | to | 4 | ft | | · 24 · · · · · · · · · · · · · · · · · · | 1.40 | 1.30 | 1.20 |
| STYRA | ΧJα | apon | ica 18 | ′-20′ | | Je | ıpan Sn | owbell |
| | | | | | endant | flowers | | |
| | | | | specin | | | , | , , |
| | | 4 | | | | 8.00 | 7.00 | |
| 4 | to | 5 | ft. B | .&B | ******** | 10.00 | 9.00 | |
| 5 | to | 6 | ft. B. | .&B | | 14.00 | 13.00 | |
| 6 | to | 7 | ft. B. | .&B | ************************************** | 17.00 | | |
| | | | | | | | | |
| | | | | | | Chenau | | |
| plant | | | ries t. | nan V | uigaris | . Excell | ent for | snade |
| prant 2 | ting to | | ft | | | 1.20 | 1.10 | 1.00 |
| 3 | | 4 | | | | | 1.10 | 1.20 |
| 0 | W | 4 | 1 U | | | 1.40 | 1.90 | 1.20 |

| SYMPLOCOS | paniculata 20'-25' | Turquoise Berry |
|-------------|--------------------|-------------------------|
| Deciduous | shrub, slender spr | eading branches. White |
| fragrant fl | owers. Beautiful | turquoise fruit. Hardy. |
| 2 to 3 | ft. B.&B | 5.00 |

| | | | | 1 to 4 Each | 5 to 24 25 & up Each Each |
|---|------------------------------------|--|------------------------------|------------------------------|---|
| | | | iensis persica 8'-9' | | Persian Form |
| | | | ale lilac flowers in g | | antities. |
| 2 | to | 3 | ft | | 1.40 1.30 |
| 3 | to | 4 | ft | 2.00 | 1.80 |
| | | | | | |
| | | | | | |
| s | auge | ana | 12'-14' | Purple | Chinese Lilac |
| Aı | profu | isio | n of fragrant purpl | le-red fl | lowers, vigor- |
| ous | gro | wer, | good foliage. | | |
| 2 | to | 3 | ft | 1.50 | 1.40 |
| 3 | to | 4 | ft | 2.00 | 1.80 |
| 4 | to | 5 | ft | 3.00 | |
| 5 | to | 6 | ft | 4.00 | |
| | | | | | |
| | | | | | |
| | | | NAMED HYBRI | DS | |
| The | had | arid | lilacs offered in th | is ental | or have been |
| | | | heir own roots. Yo | | |
| _ | n suc | | | u neeu | not rear 101- |
| eig | ıı su(| rei | ನ• | | |
| | | | | | |
| | | | | | |
| Cho | rles | Joly | y 8'-15' | | Hybrid Lilac |
| α . | | | | | |
| Cri | msoı | 1. | | | • |
| 2 | msoi to | | | | 2.50 |
| | to | | | | |
| 2 | to | 3 | | | 2.50 |
| 2 | to | 3 | | | 2.50 |
| 3 | to to | 3 4 | ft | | 2.50 4.00 |
| 2 3 Kat | to to herir | 3 4 ne H | ftavemeyer 8'-15' | | 2.50 |
| 2 3 Kat Lar | to to heringe d | 3 4 ne H | avemeyer 8'-15' le mauve. | 5.00 | 2.50 4.00 Hybrid Lilac |
| 2 3 Kat Lar 2 | to to heringe d | 3 4 ne H | avemeyer 8'-15' le mauve. ft | 5.00 3.00 | 2.50 4.00 Hybrid Lilac 2.50 |
| 2 3 Kat Lar 2 3 | to to heringe d to | 3 4 ne H oubl | avemeyer 8'-15' le mauve. ft | 3.00 5.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 |
| 2 3 Kat Lar 2 | to to heringe d | 3 4 ne H oubl | avemeyer 8'-15' le mauve. ft | 5.00 3.00 | 2.50 4.00 Hybrid Lilac 2.50 |
| 2 3 Kat Lar 2 3 | to to heringe d to | 3 4 ne H oubl | avemeyer 8'-15' le mauve. ft | 3.00 5.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 |
| 2 3 Kat Lar 2 3 4 | to to heringe d to to | 3 4 1e H oub: 3 4 5 | ft | 3.00 5.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 | to to heringe d to to | 3 4 ouble 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 |
| 2 3 Kat Lar 2 3 4 | to to heringe do to to wig ge si | 3 4 ne H oub 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 | heringe d to to to wig se si to | 3 4 see H oub 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 | heringe d to to to wig se si to | 3 4 ne H oub 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 | heringe d to to to wig se si to | 3 4 see Houbing 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 | heringe d to to to wig se si to | 3 4 see Houbing 3 4 5 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 3 | heringe do to to wig ge si to to | 3 4 ouble 5 Spacingle 3 4 | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 3 | heringe d to to to wig ge si to to | 3 4 ouble 3 4 5 Spacingle 3 4 | ftftftftft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 Hybrid Lilac 2.50 2.00 |
| 2 3 Kat Lar 2 3 4 Lud Lar 2 3 | heringe d to to to wig ge si to to | 3 4 see Houbing 3 4 5 Spacingle 3 4 ancing age | ft | 3.00 5.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 Hybrid Lilac 2.50 2.00 |
| Kat Lar 2 3 4 Lud Lar 2 3 | heringe d to to to wig ge si to to | 3 4 see Houbing 3 4 5 Spacingle 3 4 ancing age | avemeyer 8'-15' le mauve. ft | 3.00 5.00 7.00 7.00 | 2.50 4.00 Hybrid Lilac 2.50 4.00 6.00 Hybrid Lilac 2.50 2.00 |

| | | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|-------|------|------|---------------------|----------------|-----------------|-----------------|
| NAM | ED H | YBE | RIDS | | | |
| SYRIN | NGA | Pre | sident Grevy 8'-15' | | Hybri | d Lilac |
| Do | uble | soft | lilac blue. | | | |
| 2 | to | 3 | ft | 3.00 | 2.50 | |
| 3 | to | 4 | ft | 5.00 | | |
| 4 | to | 5 | ft | 7.00 | 6.00 | |
| 5 | to | 6 | ft | 10.00 | | |
| | | | | | | |

TAXUS

All yews offered in this listing have been frequently root pruned and well sheared.

TAXUS baccata repandens 2'-3' Spreading English Yew Low horizontal branches have dark green foliage. Good for low planting in dense shade or sun. 12 to 15 in R&R 600

| 12 | to 15 | in. B.&B | 6.00 |
|----|-------|----------|------|
| 18 | to 24 | in. B.&B | 9.00 |

cuspidata 12'-15'

Di la la la Carallia la Santa National Santa Na

Rich dark green leaves. Spreading, bushy. Valuable for foundation planting. Grown from select uniform plants only.

15 to 18 in. spr. B.&B...... 8.00 7.50 7.00

| —capitata 20'-25' | Tree Form Japan Yew |
|--------------------------|---------------------|
| Handsome pyramidal form. | |
| 18 to 24 in. B.&B | 10.00 9.00 |
| 2 to 2½ ft. B.&B | 12.00 11.00 |
| 2½ to 3 ft R&R | 14.00 |

-F. & F. compact form 6'-8' Compact Japan Yew

Slow growing bushy habit. Dark rich green. This is the best spreading yew we have ever seen.

12 to 15 in. spr. B.&B. 6.00 5.50

15 to 18 in. spr. B.&B. 8.50 8.00

18 to 24 in. spr. B.&B. 10.50

TAXUS cuspidata

--nana (brevifolia) 5'-6'

Dwarf Japan Yew

Broad thick leaves. Very dark green. Dwarfish and irregular spreading habit. Very hardy. We have made a real effort to grow only the best dwarf form.

media (intermedia) 12'-15'

Hybrid Yew

A cross between baccata and cuspidata. Compact habit. Spreading. Glossy green foliage. Fruits freely.

| $1\frac{1}{2}$ | to | 2 | ft. | spr. | B.&B | 9.00 |
|----------------|----|----------------|-----|------|------|-------|
| 2 | to | $2\frac{1}{2}$ | ft. | spr. | B.&B | 11.00 |

-browni 5'-6'

Brown Yew

Excellent dark green foliage. Broad oval habit. Compact. Shears well.

| 12 | to 15 | in. spr. B.&B | 6.00 | 5.50 |
|----|-------|---------------|------|------|
| 15 | to 18 | in. spr. B.&B | 7.50 | |

---hatfieldi 12'-15'

Hatfield Yew

Upright oval shaped evergreen, compact habit. Fine landscape plant, especially for small estates and hedges.

| 15 | to | 18 | in. | B.&B | 7.50 | 7.00 | 6.00 |
|------|----|----------------|-----|-------|-------|------|------|
| 11/2 | to | 2 | ft. | B.&B. | 9.00 | 8.50 | 8.00 |
| 2 | to | $2\frac{1}{2}$ | ft. | B.&B | 11.50 | | |
| 21/2 | to | 3 | ft. | B.&B | 16.00 | | |

-hicksi 8'-10'

Hicks Yew

Strong growing, free fruiting upright yew. Ideal for hedges. The plants offered here are well grown, well sheared and of first quality in every respect.

| 1½ to | 2 | ft. | B.&B. | 9.00 | 8.50 | 8.00 |
|-------|------|-----|-------|-------|-------|------|
| 2 to | 21/2 | ft. | B.&B | 11.50 | 11.00 | |
| 2½ to | 3 | ft. | B.&B | 16.00 | 15.00 | |

TAXUS media

4

3

to 3½ ft. B.&B....

to 5

-wellesleyana 8'-10'

Wellesley Yew

Excellent semi-upright Yew, similar to Hatfieldi. Slow grower. Holds its form well with minimum of shearing. Probably the best of the upright yews.

| 12 | to 15 | in. B.&B | 6.00 | | |
|----------------|-------|----------|------|------|------|
| 15 | to 18 | in. B.&B | 7.50 | 7.00 | 6.00 |
| $1\frac{1}{2}$ | to 2 | ft. B.&B | 9.00 | 8.50 | |

THUYA occidentalis elegantissima 15'-20'

Goldtip Arborvitae

Branches tipped with yellow, rich lustrous green otherwise.

| 21/2 | to | 3 | ft. B.&B | 6.50 | 6.00 | |
|------|----|---|----------|-------|-------|------|
| 3 | to | 4 | ft. B.&B | 9.00 | 8.50 | 7.50 |
| 4 | to | 5 | ft. B.&B | 11.00 | 10.00 | |

| globosa 3 | '-4 ' | Globe | Arborvitae |
|-------------|--------------------|-------|------------|
| Best of the | globe arborvitaes. | | |
| 12 to 15 | in. spr. B.&B | 4.00 | |
| 15 to 18 | in. spr. B.&B | 5.00 | |

| —nigra 30' Dark green. | Compact. The best | | k Arbo taller A | |
|---------------------------|-------------------|------|---------------------------|------|
| vitas. Shear | s well. | | | |
| $2\frac{1}{2}$ to 3 | ft. B.&B | 6.50 | 6.00 | 5.50 |
| 9 +0 1 | ft D &D | 0.00 | 8 50 | 7.50 |

11.00

9.00

8.50

7.50

10.00

9.00

ft. B.&B.....

| —рі | ımila 3'- | 4' | Dwarf Arborvitae |
|------|-----------|--------------|------------------|
| Very | y depen | dable globe. | |
| 15 | to 18 | in. B.&B. | 5.00 |
| 18 | to 24 | in. B.&B | 6.00 |

| pyramidalis 25'-30' | Pyramidal A | Arborvitae | | | | |
|-------------------------------|-------------|------------|--|--|--|--|
| Retains bright green coloring | throughou | ut winter. | | | | |
| Narrow-columnar shape. | | | | | | |
| 2½ to 3 ft. B.&B | 6.50 6 | .00 5.50 | | | | |

THUYA

plicata atrovirens (Lobbi) 30'-40' Giant Arborvitae Rich shining dark green fleshy foliage.

| 3 | to | 4 | ft. B.&B | 9.00 | 8.50 |
|---|----|---|----------|-------|-------|
| 4 | to | 5 | ft. B.&B | 11.00 | 10.50 |

TSUGA canadensis 70'-80'

Canada Hemlock

Most graceful and adaptable. Useful as clipped hedge or informal planting.

| 21/2 | to | 3 | ft. | B.&B | 10.00 | 9,50 |
|------|----|---|-----|-------|-------|------|
| | | | | B.&B. | | |
| | | | | B.&B. | | |
| | | | | B.&B. | | |
| | | | | | | |

VIBURNUM acerifolium 5'-6' Maple Leaved Viburnum Good for mass planting in shady area. Black berries.

| 2 | to | $2\frac{1}{2}$ | ft | 1.50 | 1.40 |
|---|----|----------------|----|------|------|
| 3 | to | 4 | ft | 1.80 | 1.60 |

americanum (Trilobum) 10'-12'

American Cranberry Bush

Bright scarlet berries all winter. Good foliage.

| | _ | | | | | |
|---|----|---|----|------|------|------|
| 2 | to | 3 | ft | 1.40 | 1.30 | 1.20 |
| 3 | to | 4 | ft | 1.90 | 1.70 | 1.60 |
| 4 | to | 5 | ft | 2.20 | 2.00 | 1.80 |

dentatum 10'-12'

White flowers, May-June. Berries blue-black. Autumn coloring purple and red—thrives in wet soil.

| 2 | to | 3 | ft | 1.40 | 1.30 | 1.20 |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.90 | 1.70 | 1.60 |
| 4 | to | 5 | ft | 2.20 | 2.00 | |

dilatatum 8'-10'

Creamy white May-June Scarlet shiny harries per

Creamy white, May-June. Scarlet shiny berries persisting. Handsome.

| 18 | to 24 | in | 1.20 | 1.10 | |
|----|-------|----|------|------|------|
| 2 | to 3 | ft | 1.90 | 1.70 | 1.60 |
| 3 | to 4 | ft | 2.00 | 1.90 | |

black.

to 3

to 4

to 5

2

3

4

| | | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|--------|----------------|------|------------------------|----------------|-----------------|-----------------|
| IBUR | NUN | A le | ntago 20'-25' | | Nann | yberry |
| | | | shining leaves. Blue | -black | | |
| 2 | | 3 | _ | | 1.50 | |
| 3 | to | 4 | | 1.90 | 1.70 | 1.60 |
| 4 | to | 5 | | 2.20 | 2.00 | |
| | l e 8'- | | | | ucky: Vil | |
| | | | n leaves. White flower | ers, Ma | ay-June | e. Good |
| | colo | | 9 | | | |
| 2 | to | 3 | | 1.70 | 1.50 | 1.40 |
| 3 | | 4 | | 1.90 | 1.70 | 1.60 |
| 4 | to | 5 | ft | 2.20 | 2.00 | |
| | | | 12'-15' | | | k Haw |
| | | | flowers, April-June. | | | erries. |
| 2 | to | 3 | | | 1.70 | |
| 3 | to | 4 | ft | 2.20 | 2.00 | |
| | | | m 10'-12' | | leaf Vil | |
| | | | tomentosum, slig | nuy | more 1 | robust. |
| 2 | _ | 3 | age. ft | 1.70 | 1.60 | |
| 3 | • | 4 | | 2.20 | 2.00 | 1.80 |
| | | _ | | | | |
| 4 5 | to | _ | ft | 2.70 3.00 | 2.40 2.80 | 2.20 |
| | | | | | | |
| | oldi | | | | bold Vil | |
| | | | y-June. Berries pink | cnang | ging to | ргаск. |
| | | ~ | reen foliage. | 1.70 | 1 50 | |
| 2 | | 3 | | 1.70 | 1.50 | |
| 3 | | | ft | 2.20 | 2.00 | |
| 4 | to | 5 | ft | 2.70 | 2.40 | |
| tom | ento | sum | 8′-10′ | Doubl | efill Vil | าแนนกา |
| | | | of white flowers, J | | | |

ft......1.70

ft.....

1.60

2.00

2.40

2.20

2.70

1.50

1.80

2.20

| | | | 1 to 4 Each | 5 to 24 Each | 25 & up Each |
|---------------------------------------|-------------|---|----------------|-----------------|-------------------------|
| VITEX macrop | hylla 5'-6' | | Big Lea | f Chast | e Tree |
| (latifolia) | | | | | |
| Raceme of | beautiful | rich blu | e flowe | ers cov | er the |
| bush from l | ate July th | rough Se | ptembe | r. Best | trans- |
| planted in s | spring. | | | | |
| 2 to 3 | ft | | | | |
| 3 to 4 | ft | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 2.00 | 1.80 | 1.60 |
| WEIGELA Eva Carmine flo 1½ to 2 | wers June | -August. | Rich fo | liage. | |
| 2 to 3 | | | | | |
| 3 to 4 | | | | | |
| rosea 7'-8' Pink flower 2 to 3 | * | | | ood fol | /eigela iage. |
| Vanicek—Re | ed 6'-8' | | Upright | Red W | /eigela |


Good grower. Large red flowers.

2 to 3 ft...... 1.40 1.30

MEMORANDUM

MEMORANDUM

MEMORANDUM





IN BUSINESS FOR OVER SEVENTY-FIVE YEARS